


DILLON

WORLD LEADER IN FORCE MEASUREMENT

Quick-Check Tension Meter Comparative Matrix



	Quick-Check "Red"	Quick-Check
Markets/Industries	Tower and stack guy wires, cable barriers, overhead transit wires, bridges, fall arrest, stage support, aircraft cables and public utilities	Tower and stack guy wires, cable barriers, overhead transit wires, bridges, fall arrest, stage support, aircraft cables and public utilities
Capacities	2000 lb or 10,000 lb 1000 kg or 4500 kg	2000 lb or 10,000 lb 1000 kg or 4500 kg
Rope Calibrations	Up to 20 (must be specified at time of order)	Up to 15 (must be specified at time of order)
Cable Diameter Range	3/16" to 1" 4.75 mm to 25.4 mm	3/16" to 1" 4.75mm to 25.4mm
Display	Informative Display: Shows: Unit, Wire Type, Sheave & Battery	Shows: Unit, Wire Type & Battery
Date and Time	Yes	No
Calibration Reminder	Yes	No
AZT (Automatic Zero Tracking) & Filtering	Configurable AZT and Filtering	Fixed
RS-232 Port	Four pin Lemo RS-232 output	No
Carry Case	Yes	Optional
Enclosure	Suitable for continuous outdoor use	Suitable for continuous outdoor use
Units of Measure	Lbf, kgf and Newtons	Lbf, kgf and Newtons
Temperature Range	-4° F to 158° F / -20° C to 70° C	-4° F to 140° F / -20° C to 60° C
Backlight	Yes (configurable intensity and timer)	No
Power	Two AA batteries	Two AA batteries
Battery Life*	10Hz = over 250 hrs continuous 100Hz = over 100 hrs continuous	N/A
Accuracy	3% full scale	3% full scale
User's Manual	Yes, CD	Yes, CD
Pass/Fail Tensioning Mode	Yes	Yes
Tower Mode	Stores wire rope readings to be exported later (Stores each Leg and Wire)	No
Quick-Check Calibrated to most popular Cell Tower Guy Wires	Yes, now available as a new P/N, see price sheet for details	No
Weight	11 lb	11 lb
Warranty	Two years	Two years

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Diameter: 5/16 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1319	6x19	FC	Galvanized	<input type="checkbox"/> No	EIP RRL
Diameter: 3/16 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1060	7x19	WSC	Galvanized	<input type="checkbox"/> No	Gac
<input type="checkbox"/> Yes	1126		Sythetic Rope	Synthetic Rope	<input type="checkbox"/> No	12 Strand Vectron
<input type="checkbox"/> Yes	1171	1x19	WSC	Stainless Steel	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1211	4x31	WSC	Galvanized	<input type="checkbox"/> No	Coreless stage wirer rope XLT-4
Diameter: 7/32 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1205	7x19	WSC	Stainless Steel	<input type="checkbox"/> No	
Diameter: 1/4 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1001	1x7	WSC	Galvanized	<input type="checkbox"/> No	EHS Tower cable
Diameter: 1/4 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1045	7x19	WSC	Galvanized	<input type="checkbox"/> No	Gac
<input type="checkbox"/> Yes	1072	7x7	WSC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1158	1x19	WSC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1159	7x19	WSC	Galvanized	<input type="checkbox"/> No	Wire Core EIPS

Sort by Cable Diameter - Web Document



Distributed by: ABQ Industrial LP USA
 Tel: +1 (281) 516-9292 / (888) 275-5772 eFax: +1 (866) 234-0451
 Web: https://www.abqindustrial.net E-mail: info@abqindustrial.net

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1160	19x7	IWRC	Galvanized	<input type="checkbox"/> No	IWRC LowRotation - steel Black Oxide
<input type="checkbox"/> Yes	1213	4x31	WSC	Galvanized	<input type="checkbox"/> No	Coreless stage wire rope XLT-4
<input type="checkbox"/> Yes	1218	7x19	WSC	Stainless Steel	<input type="checkbox"/> No	Air craft
<input type="checkbox"/> Yes	1239	12 Strand	Sythetic Rope	Synthetic Rope	<input type="checkbox"/> No	Bob Rope
<input type="checkbox"/> Yes	1269	7x19	WSC	Stainless Steel	<input type="checkbox"/> No	Plastic coating .40 OD
<input type="checkbox"/> Yes	1279	19x7	IWRC	Stainless Steel	<input type="checkbox"/> No	Rotation resistant
<input type="checkbox"/> Yes	1280	4x31	Coreless	Galvanized	<input type="checkbox"/> No	XLT4
<input type="checkbox"/> Yes	1311	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	

Diameter: 9/32 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1227	6x19	IWRC	Galvanized	<input type="checkbox"/> No	

Diameter: 9/32 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1000	1x7	WSC	Galvanized	<input type="checkbox"/> No	EHS Tower cable

Diameter: 5/16 Uni ts: Inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1002	1x7	WSC	Galvanized	<input checked="" type="checkbox"/> Yes	EHS Tower cable

Diameter: 5/16 Uni ts: inch						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1073	6x12	FC	Galvanized	<input type="checkbox"/> no	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1074	6x26	FC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1151	1x19	WSC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1172	6x36	IWRC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1221	5x26	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1222	5x26	FC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1224	7x19	WSC	Galvanized	<input type="checkbox"/> No	Air craft EIPS
<input type="checkbox"/> Yes	1225	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1253				<input type="checkbox"/> No	AM Steel, listed as .323 Blue Cooper I
<input type="checkbox"/> Yes	1255	7x19		Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1278	19x7	IWRC	Galvanized	<input type="checkbox"/> No	YHTS rotation resistant
<input type="checkbox"/> Yes	1306	6x19	IWRC		<input type="checkbox"/> No	
Diameter: <input type="text" value="3/8"/> Units: <input type="text" value="Inch"/>						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1003	1x7	WSC	Galvanized	<input type="checkbox"/> Yes	EHS tower cal
<input type="checkbox"/> Yes	1046	7x19	WSC	Galvanized	<input type="checkbox"/> No	Gac
<input type="checkbox"/> Yes	1098	7x19	WSC	Galvanized	<input type="checkbox"/> No	Gac
<input type="checkbox"/> Yes	1101	1x7	WSC	Galvanized	<input type="checkbox"/> No	HS Barrier cable

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Yes	1113	7x19	WSC	Stainless Steel	No	AC
Yes	1147		Sythetic Rope	Synthetic Rope	No	vectron
Yes	1162	1x19	WSC	Stainless Steel	No	
Yes	1163	6x37	IWRC	Stainless Steel	No	
Yes	1164	6x26	IWRC	Stainless Steel	No	
Yes	1165	7x19	WSC	Galvanized	No	Wire Core DQT .430 O.D. - Galvanized Plastic Coat
Yes	1166	8x19	FC	Galvanized	No	Fiber Core Rotation Resis
Yes	1167	19x7	WSC	Galvanized	Yes	Rotation resistant
Yes	1196	6x19	IWRC	Galvanized	No	Soaring Eagle
Yes	1216	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1240	12 Strand	Sythetic Rope	Synthetic Rope	No	Bob Rope
Yes	1242	12 Strand	Sythetic Rope	Synthetic Rope	No	Spectra rope
Yes	1244	12 Strand	Sythetic Rope	Synthetic Rope	No	Amsteel rope (Blue)
Yes	1249	1x19	WSC	Stainless Steel	No	
Yes	1256	7x19		Stainless Steel	No	
Yes	1264	6x19	FC	Galvanized	No	
Yes	1271	7x31		Galvanized	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1272	12 Strand	Sythetic Rope	Synthetic Rope	<input type="checkbox"/> No	Vectron
<input type="checkbox"/> Yes	1277	19x7	IWRC	Stainless Steel	<input type="checkbox"/> No	Rotation resistant
<input type="checkbox"/> Yes	1310	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1316	7x19	IWRC	Galvanized	<input type="checkbox"/> No	Customer said GAC cable

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	1004	1x7	WSC	Galvanized	<input type="checkbox"/> Yes	EHS Tower cable
------------------------------	------	-----	-----	------------	------------------------------	-----------------

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	1029	6x37	IWRC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1109	6x35	WSC	Stainless Steel	<input type="checkbox"/> No	AC
<input type="checkbox"/> Yes	1153	6x25	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1154	6x26	IWRC	Galvanized	<input type="checkbox"/> No	IWRC Flex X6
<input type="checkbox"/> Yes	1155	6x36	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1156	6x37	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> No	1169	12 Strand		Synthetic Rope	<input type="checkbox"/> No	Black
<input type="checkbox"/> Yes	1194	6x36	IWRC	Galvanized	<input type="checkbox"/> No	XIP
<input type="checkbox"/> Yes	1198	-	IWRC	Galvanized	<input type="checkbox"/> No	.437 dia

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> No	<input type="text" value="1241"/>	<input type="text" value="12 Strand"/>	<input type="text" value="Sythetic Rope"/>	<input type="text" value="Synthetic Rope"/>	<input type="checkbox"/> No	<input type="text" value="Bob Rope"/>
-----------------------------	-----------------------------------	----------------------------------------	--------------------------------------------	---------------------------------------------	-----------------------------	---------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1257"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------------------	-----------------------------	----------------------

<input type="checkbox"/>	<input type="text" value="1270"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="-"/>	<input type="text" value="20m Alumoweld"/>
--------------------------	-----------------------------------	----------------------	----------------------	----------------------	--------------------------------	--------------------------------------------

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	<input type="text" value="1005"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1006"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1047"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1048"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Super Swagged"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	--------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1092"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Gac"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1096"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1106"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1114"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1115"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="IWRC-XIP"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	---------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1121"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1129"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1183"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="Cooper Instrument Grade 220"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Yes	1184	6x26	IWRC	Galvanized	Yes	
Yes	1186	6x36	IWRC	Stainless Steel	Yes	
Yes	1187	6x41	IWRC	Galvanized	Yes	
Yes	1192	1x19	WSC	Stainless Steel	No	
Yes	1199	6x36	IWRC	Galvanized	No	
Yes	1202	19x7	IWRC	Galvanized	No	Rotation Resistant
Yes	1214	6x19	IWRC	Galvanized	No	Swagged
Yes	1217	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1229	6x37	FC	Galvanized	No	
Yes	1232	6x19	IWRC	Galvanized	No	Swagged
Yes	1254	6x26	IWRC	Galvanized	No	Compressed Swagged
	1263	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1276	6x26	IWRC	Galvanized	No	plied fee compacted
Yes	1282	7X7X7	WSC	Galvanized	No	
Yes	1287	6x26	IWRC	Galvanized	No	EIPS
Yes	1307	1x19	WSC		No	swaged
Yes	1308	6x26	IWRC	Galvanized	No	baracuda

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	<input type="text" value="1309"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	----------------------------------------------	-----------------------------	----------------------

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

<input type="checkbox"/> Yes	<input type="text" value="1007"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1008"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1056"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1079"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="(EIPS RRL)"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	-------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1209"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Academy"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	--------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1219"/>	<input type="text" value="6x25"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="RRL-EIP"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	-----------------------------	--------------------------------------

<input type="checkbox"/>	<input type="text" value="1246"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
--------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/>	<input type="text" value="1274"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="BR EIP RR"/>
--------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------------------------

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

<input type="checkbox"/> Yes	<input type="text" value="1009"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1010"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1036"/>	<input type="text"/>	<input type="text" value="FC"/>	<input type="text" value="-"/>	<input type="checkbox"/> No	<input type="text" value="Philly strand (plastic coating)"/>
------------------------------	-----------------------------------	----------------------	---------------------------------	--------------------------------	-----------------------------	--------------------------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1049"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1050"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1055	1x37	WSC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1082	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1083	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1084	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1095	6x26	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1097	6x7	FC	Galvanized	<input type="checkbox"/> No	shell oil
<input type="checkbox"/> Yes	1161	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1178	6x26	IWRC	Galvanized	<input type="checkbox"/> Yes	Worrington Seal
<input type="checkbox"/> Yes	1179	6x36	IWRC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1188	6x37	IWRC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1189	8x19	FC	Galvanized	<input type="checkbox"/> Yes	Rotation Resistant
<input type="checkbox"/> Yes	1190	19x7	IWRC	Galvanized	<input type="checkbox"/> No	Rotation resistant
<input type="checkbox"/> Yes	1201	6x36	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> No	1203	6x25	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1204	8x26	IWRC	Galvanized	<input type="checkbox"/> No	oil steel EIP
<input type="checkbox"/> Yes	1220	7x19	WSC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1234	6x36	IWRC	Galvanized	<input type="checkbox"/> No	WS-XIP-RR

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1235	8x25	IWRC	Galvanized	<input type="checkbox"/> No	XIP
<input type="checkbox"/>	1258	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/>	1273	8x25	IWRC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/>	1275	6x26	IWRC	Galvanized	<input type="checkbox"/> No	Plied fee compacted
<input type="checkbox"/>	1301	6x36	FC	Galvanized	<input type="checkbox"/> No	Steal Bright
<input type="checkbox"/> Yes	1305	6x25	IWRC	Stainless Steel	<input type="checkbox"/> No	grade 316

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1011	1x19	WSC	Galvanized	<input type="checkbox"/> Yes	EHS Tower cable
<input type="checkbox"/> Yes	1077	8x19	FC	Galvanized	<input type="checkbox"/> No	

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1012	1x19	WSC	Galvanized	<input type="checkbox"/> Yes	EHS Tower cable
<input type="checkbox"/> Yes	1021	6x25	IWRC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1022	3x7	WSC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1023	6x26	IWRC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1024	6x36	IWRC	Galvanized	<input type="checkbox"/> Yes	
<input type="checkbox"/> Yes	1025	6x37	IWRC	Galvanized	<input type="checkbox"/> No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	<input type="text" value="1026"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanizied"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1027"/>	<input type="text" value="1x37"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1028"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1030"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1031"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1032"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Extra improve plow"/>
<input type="checkbox"/> No	<input type="text" value="1033"/>	<input type="text" value="12"/>	<input type="text" value="Sythetic Rope"/>	<input type="text" value="Synthetic Rope"/>	<input type="checkbox"/> No	<input type="text" value="Extra improve plow Plasma Rope"/>
<input type="checkbox"/> Yes	<input type="text" value="1034"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1035"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Grade 220"/>
<input type="checkbox"/> Yes	<input type="text" value="1053"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1062"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Rotation Resistent"/>
<input type="checkbox"/> Yes	<input type="text" value="1111"/>	<input type="text" value="8x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="IWRC oiled"/>
<input type="checkbox"/> Yes	<input type="text" value="1137"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="IPS"/>
<input type="checkbox"/> Yes	<input type="text" value="1200"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Rotation Resistant"/>
<input type="checkbox"/> Yes	<input type="text" value="1206"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1236"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="WS-XIP"/>
<input type="checkbox"/>	<input type="text" value="1247"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="XIPS"/>

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> No	1250	12 Strand	Sythetic Rope	Synthetic Rope	<input type="checkbox"/> No	Plasma (white)
-----------------------------	------	-----------	---------------	----------------	-----------------------------	----------------

	1252	6x36	IWRC	Galvanized	<input type="checkbox"/> No	
--	------	------	------	------------	-----------------------------	--

<input type="checkbox"/> Yes	1268	7		Galvanized	<input type="checkbox"/> No	7 Flex
------------------------------	------	---	--	------------	-----------------------------	--------

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

<input type="checkbox"/> Yes	1013	1x19	WSC	Galvanized	<input type="checkbox"/> Yes	EHS Tower cable
------------------------------	------	------	-----	------------	------------------------------	-----------------

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

<input type="checkbox"/> Yes	1014	1x19	WSC	Galvanized	<input type="checkbox"/> Yes	EHS Tower cable
------------------------------	------	------	-----	------------	------------------------------	-----------------

<input type="checkbox"/> Yes	1042	6x26	IWRC	Galvanized	<input type="checkbox"/> No	Swagged
------------------------------	------	------	------	------------	-----------------------------	---------

<input type="checkbox"/> Yes	1081	19x7	WSC	Galvanized	<input type="checkbox"/> No	(XIP RR)
------------------------------	------	------	-----	------------	-----------------------------	------------

<input type="checkbox"/> Yes	1094	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

<input type="checkbox"/> Yes	1173	8x26	IWRC	Galvanized	<input type="checkbox"/> Yes	Oiled cable
------------------------------	------	------	------	------------	------------------------------	-------------

<input type="checkbox"/> Yes	1177	6x25	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

<input type="checkbox"/> Yes	1185	6x36	IWRC	Galvanized	<input type="checkbox"/> Yes	
------------------------------	------	------	------	------------	------------------------------	--

<input type="checkbox"/> Yes	1195	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

<input type="checkbox"/> Yes	1231	1x37	WSC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	-----	------------	-----------------------------	--

<input type="checkbox"/> Yes	1233	6x37	IWRC	Galvanized	<input type="checkbox"/> No	Prestressed
------------------------------	------	------	------	------------	-----------------------------	-------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	<input type="text" value="1245"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text" value="Mooring Cable"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------------------	-----------------------------	--------------------------------------------

<input type="checkbox"/>	<input type="text" value="1248"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Accuvate Grant EIP Warrenton Seal"/>
--------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------------------------------------------------

<input type="checkbox"/>	<input type="text" value="1286"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
--------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1304"/>	<input type="text" value="6x37"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="For sales order # 1661719"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	-----------------------------	--------------------------------------------------------

Diameter: Uni ts:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

<input type="checkbox"/> Yes	<input type="text" value="1015"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="EHS Tower cable"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	------------------------------	----------------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1037"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1038"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1040"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1041"/>	<input type="text" value="1x37"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1043"/>	<input type="text" value="1x35"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1052"/>	<input type="text" value="6x25"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="oiled EIP"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	-----------------------------	----------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1069"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	----------------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1168"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

Diameter: Uni ts:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

<input type="checkbox"/>	<input type="text" value="1318"/>	<input type="text" value="6x37"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
--------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Diameter: 9 Units: mm						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1157	1x19	WSC	Stainless Steel	<input type="checkbox"/> No	
Diameter: 4 Units: mm						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1090				<input type="checkbox"/> No	ST.Belgium Wire Solid Core
Diameter: 5 Units: mm						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1122	6x25	IWRC	Stainless Steel	<input type="checkbox"/> No	
Diameter: 6 Units: mm						
Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1086	8x19	WSC	Galvanized	<input type="checkbox"/> No	WSC-RHOL
<input type="checkbox"/> Yes	1087	18x7	WSC	Galvanized	<input type="checkbox"/> No	WSC-RHOL
<input type="checkbox"/> Yes	1108	6x12	FC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1123	1x7	WSC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/> Yes	1124	6x7	IWRC	Stainless Steel	<input type="checkbox"/> No	IWRC inox line
<input type="checkbox"/> Yes	1125	7x19	WSC	Galvanized	<input type="checkbox"/> No	Gac
<input type="checkbox"/> Yes	1228	7x7	WSC	Galvanized	<input type="checkbox"/> No	
<input type="checkbox"/>	1281	1x19	WSC	Stainless Steel	<input type="checkbox"/> No	
<input type="checkbox"/>	1285	7x7	WSC	Stainless Steel	<input type="checkbox"/> No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1064"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1054"/>	<input type="text" value="6x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1065"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1071"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1075"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1078"/>	<input type="text" value="8x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Rotation Resistant"/>
<input type="checkbox"/> Yes	<input type="text" value="1110"/>	<input type="text" value="8x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Rotation Resistant"/>
<input type="checkbox"/> Yes	<input type="text" value="1112"/>	<input type="text" value="6x24"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1127"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1128"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1130"/>	<input type="text" value="7x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text" value="wirer core"/>
<input type="checkbox"/> Yes	<input type="text" value="1131"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text" value="wirer core"/>
<input type="checkbox"/> Yes	<input type="text" value="1152"/>	<input type="text" value="18x5"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Zink coated"/>

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
---------------------	-----	--------------	-------	-----------	---------------------------	--------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	<input type="text" value="1132"/>	<input type="text" value="5x26"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	-----------------------------	----------------------

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	<input type="text" value="1063"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="GJ-50"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	------------------------------------

<input type="checkbox"/> Yes	<input type="text" value="1133"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1314"/>	<input type="text" value="7X3-7"/>	<input type="text" value="WSC"/>	<input type="text" value="Copper"/>	<input type="checkbox"/> No	<input type="text" value="Magnesium Copper"/>
------------------------------	-----------------------------------	------------------------------------	----------------------------------	-------------------------------------	-----------------------------	-----------------------------------------------

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	<input type="text" value="1039"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1210"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="ST-55"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	------------------------------------

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	<input type="text" value="1134"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1135"/>	<input type="text" value="6x37"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

<input type="checkbox"/> Yes	<input type="text" value="1017"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	---------------------------------	-----------------------------------------	------------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1066"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1076"/>	<input type="text" value="6x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------------	-----------------------------	----------------------

<input type="checkbox"/> Yes	<input type="text" value="1100"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text" value="AC"/>
------------------------------	-----------------------------------	-----------------------------------	----------------------------------	----------------------------------------------	-----------------------------	---------------------------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1102	7x19	WSC	Galvanized	<input type="checkbox"/> No	Gac
------------------------------	------	------	-----	------------	-----------------------------	-----

<input type="checkbox"/> Yes	1103	1x19	WSC	Galvanized	<input type="checkbox"/> No	EHS
------------------------------	------	------	-----	------------	-----------------------------	-----

<input type="checkbox"/> Yes	1136	6x19	IWRC	Stainless Steel	<input type="checkbox"/> No	IWRC Inox Line
------------------------------	------	------	------	-----------------	-----------------------------	----------------

<input type="checkbox"/> Yes	1148	1x19	WSC	Stainless Steel	<input type="checkbox"/> No	
------------------------------	------	------	-----	-----------------	-----------------------------	--

<input type="checkbox"/> Yes	1191	6x24	FC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	----	------------	-----------------------------	--

<input type="checkbox"/> Yes	1230	7x19	WSC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	-----	------------	-----------------------------	--

<input type="checkbox"/> Yes	1284	2/0		-	<input type="checkbox"/> No	TROLLEY WIRE
------------------------------	------	-----	--	---	-----------------------------	--------------

<input type="checkbox"/> Yes	1312	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

Diameter: **Uni ts:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

<input type="checkbox"/> Yes	1138	1x7	WSC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	-----	-----	------------	-----------------------------	--

Diameter: **Uni ts:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

<input type="checkbox"/> Yes	1051	1x19	WSC	Galvanized	<input type="checkbox"/> No	GJ-70
------------------------------	------	------	-----	------------	-----------------------------	-------

<input type="checkbox"/> Yes	1057	8x19	FC	Galvanized	<input type="checkbox"/> No	Rotation Resistent
------------------------------	------	------	----	------------	-----------------------------	--------------------

<input type="checkbox"/> Yes	1139	8x25	IWRC	Galvanized	<input type="checkbox"/> No	Rotation Resistant
------------------------------	------	------	------	------------	-----------------------------	--------------------

<input type="checkbox"/> Yes	1181	8x25	IWRC	Galvanized	<input type="checkbox"/> Yes	Compacted with plastic core
------------------------------	------	------	------	------------	------------------------------	-----------------------------

Diameter: **Uni ts:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

No	1067	1x19	WSC	Galvanized	No	
Yes	1068	1x19	WSC	Galvanized	No	
Yes	1089	18x7	WSC	Galvanized	No	WSC-RHOL
Yes	1091	6x26	IWRC	Galvanized	No	Super swaged
Yes	1099	6x24	FC	Galvanized	No	
Yes	1104	6x26	IWRC	Galvanized	No	Warrington Seal
Yes	1140	6x19	IWRC	Galvanized	No	
Yes	1141	8x19	FC	Galvanized	No	Rotation Resistant
Yes	1144	1x19	WSC	Stainless Steel	No	
Yes	1149	7x7	WSC	Stainless Steel	No	
Yes	1243	12 Strand	Sythetic Rope	Synthetic Rope	No	Marlow rope MGPTech-12 (black)
Yes	1251	6x24	FC	Galvanized	No	
	1259		IWRC	Galvanized	No	Swagged Pfifer
Yes	1283	6x26	IWRC	Galvanized	No	

Diameter: Uni ts:

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

Yes	1059	8x26	IWRC	Galvanized	No	Rotation Resistant
-----	------	------	------	------------	----	--------------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1080	1x19	WSC	Galvanized	<input type="checkbox"/> No	(GJ-100)
------------------------------	------	------	-----	------------	-----------------------------	------------

Diameter: Uni ts:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1182	1x9	IWRC	Aluminum	<input type="checkbox"/> Yes	Cable is a Phiber optical core, INFO above can only be

Diameter: Uni ts:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1058	1x19	WSC	Galvanized	<input type="checkbox"/> No	

<input type="checkbox"/> Yes	1088	6x26	IWRC	Galvanized	<input type="checkbox"/> No	-WS
------------------------------	------	------	------	------------	-----------------------------	-----

<input type="checkbox"/> Yes	1142	8x19	IWRC	Galvanized	<input type="checkbox"/> No	Rotation Resistant
------------------------------	------	------	------	------------	-----------------------------	--------------------

<input type="checkbox"/> Yes	1170	8x19	FC	Galvanized	<input type="checkbox"/> Yes	Rotation Resistant, listed as .406
------------------------------	------	------	----	------------	------------------------------	------------------------------------

<input type="checkbox"/> Yes	1193	6x31	IWRC	Stainless Steel	<input type="checkbox"/> No	Swagged
------------------------------	------	------	------	-----------------	-----------------------------	---------

Diameter: Uni ts:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1105	1x19	WSC	Galvanized	<input type="checkbox"/> No	

Diameter: Uni ts:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	1018	8x19	FC	Galvanized	<input type="checkbox"/> Yes	

<input type="checkbox"/> Yes	1143	1x19	WSC	Stainless Steel	<input type="checkbox"/> No	
------------------------------	------	------	-----	-----------------	-----------------------------	--

<input type="checkbox"/> Yes	1265	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

<input type="checkbox"/>	1303	e cable not	IWRC	Galvanized	<input type="checkbox"/> No	16 outer strands 245 wires max cable load 9824 lbs
--------------------------	------	-------------	------	------------	-----------------------------	----------------------------------------------------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1070"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>

<input type="checkbox"/> Yes	<input type="text" value="1212"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="ST-135"/>
------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------------------------	-----------------------------	-------------------------------------

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1226"/>	<input type="text" value="1x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="FRP-Teck India"/>

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1019"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1085"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1107"/>	<input type="text" value="9x25"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="IWRC Rotation Resistant"/>
<input type="checkbox"/> Yes	<input type="text" value="1117"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1145"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Stainless Steel"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1146"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1174"/>	<input type="text" value="7x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1175"/>	<input type="text" value="8x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text" value="Rotation Resistant"/>
<input type="checkbox"/> Yes	<input type="text" value="1197"/>	<input type="text" value="6x24"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1207"/>	<input type="text" value="35x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Oil steel"/>

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

<input type="checkbox"/> Yes	1223	38x7	IWRC	Galvanized	<input type="checkbox"/> No	Python
------------------------------	------	------	------	------------	-----------------------------	--------

<input type="checkbox"/> Yes	1237	35x7	WSC	Galvanized	<input type="checkbox"/> No	Starlift XTRA (RL)
------------------------------	------	------	-----	------------	-----------------------------	--------------------

<input type="checkbox"/> Yes	1266	6x19	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

<input type="checkbox"/> Yes	1317	8x25	WSC	Galvanized	<input type="checkbox"/> No	Warrington Seale
------------------------------	------	------	-----	------------	-----------------------------	------------------

Diameter: **Units:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

<input type="checkbox"/> Yes	1215	1x19	WSC	Galvanized	<input type="checkbox"/> No	ST-180
------------------------------	------	------	-----	------------	-----------------------------	--------

Diameter: **Units:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

<input type="checkbox"/> Yes	1016	3x7	WSC	Galvanized	<input type="checkbox"/> no	guard wire
------------------------------	------	-----	-----	------------	-----------------------------	------------

<input type="checkbox"/> Yes	1118	1x19	WSC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	-----	------------	-----------------------------	--

<input type="checkbox"/> Yes	1150	6x32	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

<input type="checkbox"/> Yes	1180	6x37	IWRC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	------	------------	-----------------------------	--

Diameter: **Units:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

<input type="checkbox"/> Yes	1315	1x19	WSC	Galvanized	<input type="checkbox"/> No	
------------------------------	------	------	-----	------------	-----------------------------	--

Diameter: **Units:**

Is Cable in Stock?: **ID:** **Strand Arg.:** **Core:** **Material:** **Dillon Replenished Cable:** **Cable Notes:**

<input type="checkbox"/> Yes	1116	35x7	WSC	Galvanized	<input type="checkbox"/> No	Star Lift Soaring Eagle
------------------------------	------	------	-----	------------	-----------------------------	-------------------------

<input type="checkbox"/> Yes	1238	35x7	WSC	Galvanized	<input type="checkbox"/> No	Starlift
------------------------------	------	------	-----	------------	-----------------------------	----------

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1020"/>	<input type="text" value="8x19"/>	<input type="text" value="FC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> Yes	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1044"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1119"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1261"/>	<input type="text" value="1x37"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1267"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1120"/>	<input type="text" value="1x19"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> Yes	<input type="text" value="1208"/>	<input type="text" value="35x7"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Oil steel"/>
<input type="checkbox"/> Yes	<input type="text" value="1262"/>	<input type="text" value="8x26"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="Oiled"/>

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1260"/>	<input type="text" value="1x37"/>	<input type="text" value="WSC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1313"/>	<input type="text" value="6x19"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text"/>

Diameter: **Units:**

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/> Yes	<input type="text" value="1093"/>	<input type="text" value="6x36"/>	<input type="text" value="IWRC"/>	<input type="text" value="Galvanized"/>	<input type="checkbox"/> No	<input type="text" value="IWRC-RHOL"/>

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
 IWRC = Independent Wire Rope Core
 WSC = Wire Strand Core
 FC = Fiber Core

Cable Notes Legend:
 ACSR = Aluminum Conductor Steel Reinforced
 GAC = Galvanized Aircraft Quality
 EHS = Extra High Strength
 EIPS = Extra Improved Plowed Steel

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input checked="" type="checkbox" value="Yes"/>	<input type="text" value="1176"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Diameter: Units:

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
<input type="checkbox"/>	<input type="text" value="1288"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1289"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1290"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1291"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1292"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1293"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1294"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1295"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1296"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1297"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1298"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1299"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="text" value="1300"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

1302