

Model	Size In (kg)	Size In (kg)	Weight Lbs (mm)	Amperes & Voltage	Amp Turns / Gauss	Comments
WP-8	AC only Coil	8in (201 mm)	11lbs (5.5kg)	13 Amps 115V / 60Hz	3250 AC	Base model of these Small ID Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-8K	AC only Coil	8in (201 mm)	11lbs (5.5kg)	6.5 Amps 230V 50Hz	3250 AC	Base model of these Small ID Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-8D	AC and DC Coil	8in (201 mm)	13lbs (6kg)	13 Amps 115V / 60Hz	3250 AC 6000 DC	Base AC / DC model of these Small ID Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-8DK	AC and DC Coil	8in (201 mm)	13lbs (6kg)	6.5 Amps 230V 50Hz	3250 AC 6000 DC	Base AC / DC model of these Small ID Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-8DV	AC with Variable DC Coil	8in (201 mm)	15lbs (7.5kg)	13 Amps 115V / 60Hz	3050 AC 0 to 6000DC	AC / Variable DC model of these Small ID Medium Duty Coils. Up-graded with Variable DC Option, to allow surface and sub-surface inspection capabilities.
WP-8DVK	AC with Variable DC Coil	8in (201 mm)	15lbs (7.5kg)	6.5 Amps 230V 50Hz	3050 AC 0 to 6000DC	AC / Variable DC model of these Small ID Medium Duty Coils. Up-graded with Variable DC Option, to allow surface and sub-surface inspection capabilities.
WP-8DVR	AC with Variable & Reversing DC Coil	8in (201 mm)	17lbs (5.5kg)	13 Amps 115V / 60Hz	2875 AC +/- 0 to 6000DC	AC / variable and Reversible DC model of these Small ID Medium Duty Coils. Upgraded with Variable and Reversing DC Option, to allow Reversing DC Demag capabilities.
WP-8DVRK	AC with Variable & Reversing DC Coil	8in (201 mm)	17lbs (5.5kg)	6.5 Amps 230V 50Hz	2875 AC +/- 0 to 6000DC	AC / variable and Reversible DC model of these Small ID Medium Duty Coils. Upgraded with Variable and Reversing DC Option, to allow Reversing DC Demag capabilities.
WP-10	AC only Coil	10in	11lbs	15 Amps	3250 AC	Base model of these mid-Size Medium Duty Coils. Up-gradable with DC Options, to allow

		(254 mm)	(5.5kg)	115V / 60Hz		these Coils to be full feature for greater inspection capabilities.
WP-10K	AC only Coil	10in (254 mm)	11lbs (5.5kg)	8 Amps 230V 50Hz	3250 AC	Base model of these mid-Size Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-10D	AC and DC Coil	10in (254 mm)	12lbs (6kg)	15 Amps 115V / 60Hz	3050 AC 6000 DC	Base AC / DC model of these mid-Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-10DK	AC and DC Coil	10in (254 mm)	12lbs (6kg)	8 Amps 230V 50Hz	3050 AC 6000 DC	Base AC / DC model of these mid-Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-10DV	AC with Variable DC Coil	10in (254 mm)	12lbs (6kg)	15 Amps 115V / 60Hz	3050 AC 6000 DC	AC / Varriable DC model of these mid-Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-10DVK	AC with Variable DC Coil	10in (254 mm)	12lbs (6kg)	8 Amps 230V 50Hz	3050 AC 6000 DC	AC / Varriable DC model of these mid-Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-10DVR	AC with Variable & Reversing DC Coil	10in (254 mm)	15lbs (5.5kg)	15 Amps 115V / 60Hz	2,875 AC +/- 0 to 6000 DC	AC / Varriable and Reversable DC model of these mid-Size Medium Duty Coils. Upgraded with Varriable and Reversting DC Option, to allow Reversing DC Demag capabilities.
WP-10DVRK	AC with Variable & Reversing DC Coil	10in (254 mm)	15lbs (5.5kg)	8 Amps 230V 50Hz	2,875 AC +/- 0 to 6000 DC	AC / Varriable and Reversable DC model of these mid-Size Medium Duty Coils. Upgraded with Varriable and Reversting DC Option, to allow Reversing DC Demag capabilities.
WP-12	AC only Coil	12in (305 mm)	11lbs (5.5kg)	16 Amps 115V / 60Hz	3250 AC	Base model of these Larger Size Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-12K	AC only Coil	12in (305 mm)	11lbs (5.5kg)	9 Amps 230V 50Hz	3250 AC	Base model of these Larger Size Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-12D	AC and DC Coil	12in (305 mm)	12lbs (5.5kg)	16 Amps 115V / 60Hz	3250 AC 6000 DC	Base AC / DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-12DK	AC and DC Coil	12in (305 mm)	12lbs (5.5kg)	9 Amps 230V 50Hz	3250 AC 6000 DC	Base AC / DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-12DV	AC with Variable DC Coil	12in (305 mm)	15lbs (5.5kg)	16 Amps 115V / 60Hz	3050 AC 0 to 6000DC	AC / Varriable DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and subsurface inspection capabilities.
WP-12DVK	AC with Variable DC Coil	12in (305 mm)	15lbs (5.5kg)	9 Amps 230V	3050 AC 0 to 6000DC	AC / Varriable DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and subsurface inspection capabilities.

		mm)		50Hz		
WP-12DVR	AC with Variable & Reversing DC Coil	12in (305 mm)	15lbs (5.5kg)	16 Amps 115V / 60Hz	3050 AC +/- 0 to 6000DC	AC / Variable and Reversible DC model of these Larger Size Medium Duty Coils. Up-graded with Variable and Reversing DC Option, to allow Reversing DC Demag capabilities.
WP-12DVRK	AC with Variable & Reversing DC Coil	12in (305 mm)	15lbs (5.5kg)	9 Amps 230V 50Hz	3050 AC +/- 0 to 6000DC	AC / Variable and Reversible DC model of these Larger Size Medium Duty Coils. Up-graded with Variable and Reversing DC Option, to allow Reversing DC Demag capabilities.
WP-14	AC only Coil	14in (355 mm)	17lbs (8kg)	18 Amps 115V / 60Hz	2875 AC	Base model of these Larger Size Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-14K	AC only Coil	14in (355 mm)	17lbs (8kg)	10 Amps 230V 50Hz	2875 AC	Base model of these Larger Size Medium Duty Coils. Up-gradable with DC Options, to allow these Coils to be full feature for greater inspection capabilities.
WP-14D	AC and DC Coil	14in (355 mm)	17lbs (8kg)	18 Amps 115V / 60Hz	2875 AC 6000 DC	Base AC / DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-14DK	AC and DC Coil	14in (355 mm)	17lbs (8kg)	10 Amps 230V 50Hz	2875 AC 6000 DC	Base AC / DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-14DV	AC with Variable DC Coil	14in (355 mm)	17lbs (8kg)	18 Amps 115V / 60Hz	2875 AC 6000 DC	Base AC / DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-14DVK	AC with Variable DC Coil	14in (355 mm)	17lbs (8kg)	10 Amps 230V 50Hz	2875 AC 6000 DC	Base AC / DC model of these Larger Size Medium Duty Coils. Up-graded with DC Option, to allow surface and sub-surface inspection capabilities.
WP-14DVR	AC with Variable & Reversing DC Coil	14in (355 mm)	17lbs (8kg)	18 Amps 115V / 60Hz	2,875 AC +/- 0 to 6000 DC	AC / Variable and Reversible DC model of these Larger Size Medium Duty Coils. Up-graded with Variable and Reversing DC Option, to allow Reversing DC Demag capabilities.
WP-14DVRK	AC with Variable & Reversing DC Coil	14in (355 mm)	17lbs (8kg)	10 Amps 230V 50Hz	2,875 AC +/- 0 to 6000 DC	AC / Variable and Reversible DC model of these Larger Size Medium Duty Coils. Up-graded with Variable and Reversing DC Option, to allow Reversing DC Demag capabilities.